

Page 1 of 6 SDS-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017

1.1	T =	I		CT & CON					1101	V				
	Product Name:	FAMOUS	S NAMES	S – IBX BC	OST E	BASI	ECO	ΑT						
1.2	Chemical Name:	Polyurethane	Methacrylate	Resin Blend										
1.3	Synonyms:	NA												
1.4	Trade Names:	Famous Name	es – IBX Boo	st Basecoat										
1.5	Product Use:	Cosmetic Use	Only											
1.6	Distributor's Name:	Famous Name	es, LLC											
1.7	Distributor's Address:	11897 Oaklan	nd Hills Dr, La	as Vegas, NV 89	9141 USA									
1.8	Emergency Phone:	CHEMTRE	C: +1 (703	3) <mark>527-3887</mark> <i>i</i>	/ +1 (800	) 424	-930	O (CC	N 70	6492	2)			
1.9	Business Phone / Fax:	+1 (858) 779-	1513 / +1 (87	77) 235-1141										
			2. H	IAZARDS	IDENT	IFIC	ATIC	)N						
2.1	Hazard Identification:			as a HAZAR						DANG	EROU	S GO	ODS a	ccording to the
				HSC: 1088 (200	•		•	,						
		_	CAUSES SI	KIN IRRITATIO	N. CAUS	SES S	ERIOL	IS EY	E IRR	ITATI	ON. N	IAY C	AUSE I	RESPIRATORY
		IRRITATION.	Claim Innit O	Eva Irrit OD: CT										
2.2	Label Elements:			Eye Irrit. 2B; S1 315 – Causes S		n 112	20 0	,011000	ovo in	ritatia	. 1122	E Ma		
	East Liononia.	cause respirat			kin irritatio	m. H3	20 – C	auses	eye ir	ritatioi	1. H33	5 – IVIZ	ay	
			•	(P): P261 – Avo	id breathir	na dust	/fumes	:/mist/\	/anors	P26	4 _ \//:	ach cki	n	
				reas with soap										
				I-ventilated area										_
				IF ON SKIN:										
				to fresh air and										
		IN EYES: Rins	se cautiously	with water for s	several mii	nutes.	Remo	ve cor	itact le	nses,	if pres	ent an	d	<b>\                                    </b>
				sing. P312 – C										
		P321 – Specif	fic treatment	- see section 4	of this SD	S. P3	32 + P3	13 - 1	f ekin i	rritatio	n occ	urs: Ge	et l	
														•
				P337+P313 -	If eye irr	itation	persis	ts get	medic	cal ad	lvice/a	ttentior	١.	•
		P362+P364 -	Take off co	P337+P313 – ntaminated clot	If eye irr	itation wash b	persis efore	ts get reuse.	medic P403	cal ad +P23	lvice/a 3 – St	ttentior	n. a	•
		P362+P364 – well-ventilated	Take off colling Take off colling Take off colling Take off colling Take of Take off colling Take of T	P337+P313 – ntaminated clot container tight	If eye irr hing and v ly closed.	itation wash b P405	persis efore	ts get reuse.	medic P403	cal ad +P23	lvice/a 3 – St	ttentior	n. a	·
0.0	Ollow Warring	P362+P364 – well-ventilated contents/conta	Take off co I place. Keep ainer to licens	P337+P313 – ntaminated clot container tight sed waste mana	If eye irr hing and v ly closed.	itation wash b P405	persis efore	ts get reuse.	medic P403	cal ad +P23	lvice/a 3 – St	ttentior	n. a	•
2.3	Other Warnings:	P362+P364 – well-ventilated contents/conta	Take off co I place. Keep ainer to licens	P337+P313 – ntaminated clot container tight	If eye irr hing and v ly closed.	itation wash b P405	persis efore	ts get reuse.	medic P403	cal ad +P23	lvice/a 3 – St	ttentior	n. a	
2.3	Other Warnings:	P362+P364 – well-ventilated contents/conta	Take off co I place. Keep ainer to licens F REACH O	P337+P313 – ntaminated clot o container tight sed waste mana F CHILDREN.	If eye irr hing and v ly closed. gement fa	itation wash b P405 cility.	persis efore – Sto	ts get reuse. re lock	medic P403 ed up.	eal ad +P23; P501	lvice/a 3 – St	ttentior	n. a	
2.3	Other Warnings:	P362+P364 – well-ventilated contents/conta	Take off co I place. Keep ainer to licens F REACH O	P337+P313 – ntaminated clot container tight sed waste mana	If eye irr hing and v ly closed. gement fa	itation wash b P405 cility.	persis efore – Sto	ts get reuse. re lock	medic P403 red up.	P501	lvice/a 3 – St – Dis	ttentior ore in spose o	n. a of	
2.3	Other Warnings:	P362+P364 – well-ventilated contents/conta	Take off co I place. Keep ainer to licens F REACH O	P337+P313 – ntaminated clot o container tight sed waste mana F CHILDREN.	If eye irr hing and v ly closed. gement fa	itation wash b P405 cility.	persis efore – Sto	ets get reuse. re lock	medic P403 red up.	P501	lvice/a 3 – St – Dis	ttentior	n. a of g/m³)	
2.3	Other Warnings:	P362+P364 – well-ventilated contents/conta	Take off co I place. Keep ainer to licens F REACH O	P337+P313 – ntaminated clot o container tight sed waste mana F CHILDREN.	If eye irr hing and v ly closed. gement fa	itation wash b P405 cility.  ENT	persis efore – Sto	ets get reuse. re lock	medic P403 ed up.	P501	lvice/a 3 – St – Dis	ttentior ore in spose o	n. a of g/m³)	
		P362+P364 – well-ventilated contents/conta	Take off co. I place. Keepainer to licens F REACH O	P337+P313 — ntaminated clot container tight sed waste mana F CHILDREN.	If eye irrining and vily closed. gement fa	P405 cility.	persis efore - Stor	ets get reuse. re lock	MATI EXPO: NOHSC ppm ES-	P501	vice/a 3 – St – Dis	ttentior ore in spose of	n. a of g/m³)	
НЕМ	CAL NAME(S)	P362+P364 – well-ventilated contents/conta KEEP OUT O	Take off co. I place. Keepainer to licens F REACH O  OMPOSI  RTECS No.	P337+P313 — ntaminated clot container tight sed waste mana F CHILDREN.  TION & INC EINECS No.	If eye irrining and vily closed. gement fa	itation wash b P405 cility.  ENT AC pp TLV	persis efore - Sto	ets get reuse. re lock	MATI EXPO: NOHSC ppm ES- STEL	P501  ON  SURE L  ES- PEAK	vice/a 3 - St - Dis	N AIR (mg OSHA ppm	n. a pf g/m³)	OTHER
HEM IS-H	ICAL NAME(S) EA IPDI/PPG-53	P362+P364 – well-ventilated contents/conta	Take off co. I place. Keepainer to licens F REACH O	P337+P313 — ntaminated clot container tight sed waste mana F CHILDREN.	If eye irrining and vily closed. gement fa	P405 cility.	persis efore - Stor	ets get reuse. re lock	MATI EXPO: NOHSC ppm ES-	P501	vice/a 3 – St – Dis	ttentior ore in spose of	n. a of g/m³)	OTHER
HEM IS-H	ICAL NAME(S) EA IPDI/PPG-53 DLYMER	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No. NA	Take off co I place. Keep ainer to licens F REACH O OMPOSI RTECS No.	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & INC  EINECS No. NA	If eye irrhing and voly closed. gement fa	ENT  ACC  PP  TLV  NA	INF GIH DIM STEL NA	ests get reuse. re lock	MATI EXPO: NOHSC ppm ES- STEL NF	P501  ON  SURE L  ES- PEAK  NF	IVICE/A 3 — St — Dis IMITS IN PEL NA	A AIR (mg OSHA ppm STEL NA	n. a properties of the state of	OTHER
HEM IS-H OPO	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No. NA	Take off co. I place. Keepainer to licens F REACH O  OMPOSI  RTECS No.	P337+P313 — ntaminated clot container tight sed waste mana F CHILDREN.  TION & INC EINECS No.	If eye irrining and vily closed. gement fa	itation wash b P405 cility.  ENT AC pp TLV	persis efore - Stor	ets get reuse. re lock	MATI EXPO: NOHSC ppm ES- STEL	P501  ON  SURE L  ES- PEAK	vice/a 3 - St - Dis	N AIR (mg OSHA ppm	n. a pf g/m³)	OTHER
HEM IS-H OPC IS-H /IPD	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No. NA	Take off co I place. Keep ainer to licens OF REACH O DMPOSITERS No. NA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA	If eye irrhing and voly closed. gement fa	ENT  AC  PP  TLV  NA	INF  GIH  STEL  NA	CRN  ES- TWA  NF	Medic P403 ed up.  MATI  EXPO: NOHSC ppm ES- STEL NF	P501  ON SURE L  ES- PEAK NF	IMITS IN PEL NA	A AIR (mg OSHA ppm STEL NA	n. a of	OTHER
BIS-H COPC BIS-H /IPD BIS-H GLYC	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYMEOPENTYL OL ADIPATE/IPDI	P362+P364 — well-ventilated contents/conta  KEEP OUT O  3. CC  CAS No. NA  NA  82339-16-0	Take off co. I place. Keepainer to licens F REACH O  OMPOSI  RTECS No. NA  NA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & INC  EINECS No. NA  NA	If eye irrhing and voly closed. gement fa	ENT  ACC  PP  TLV  NA	INF GIH DIM STEL NA	ests get reuse. re lock	MATI EXPO: NOHSC ppm ES- STEL NF	P501  ON  SURE L  ES- PEAK  NF	IVICE/A 3 — St — Dis IMITS IN PEL NA	A AIR (mg OSHA ppm STEL NA	n. a properties of the second	OTHER
CHEM BIS-H COPC BIS-H J/IPD BIS-H GLYC	ICAL NAME(S)  EA IPDI/PPG-53  LYMER  EA POLY(1,4-BUTANEDIOL I COPOLYMER  EMA POLYNEOPENTYL  OL ADIPATE/IPDI  DLYMER	P362+P364 — well-ventilated contents/conta  KEEP OUT O  3. CC  CAS No. NA  NA  82339-16-0 Skin Irrit. 2; Ey	Take off co. I place. Keepainer to licens F REACH O  MPOSI  RTECS No. NA  NA  NA  NA  NA  Pe Irrit. 2; H315	P337+P313 — ntaminated clot container tight sed waste mana F CHILDREN.  TION & INC  EINECS No.  NA  NA  NA  NA  NA  NA  NA  NA  NA	If eye irrhing and volve closed. gement fa	ENT ACC PP TLV NA NA	Persis efore - Store -	ORN  ES-TWA  NF	MATI EXPO: NOHSC ppm ES- STEL NF NF	P501  SURE L  ES- PEAK  NF  NF	IMITS IN  PEL  NA  NA	N AIR (mg OSHA PPM STEL NA	n. a of	OTHER
EHEM BIS-H COPC BIS-H J/IPD BIS-H GLYC COPC	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No.  NA  NA  82339-16-0  Skin Irrit. 2; Ey 3290-92-4	Take off co. I place. Keepainer to licens F REACH O  OMPOSI  RTECS No. NA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & INC  EINECS No. NA  NA	If eye irrhing and voly closed. gement fa	ENT  AC  PP  TLV  NA	INF  GIH  STEL  NA	CRN  ES- TWA  NF	Medic P403 ed up.  MATI  EXPO: NOHSC ppm ES- STEL NF	P501  ON SURE L  ES- PEAK NF	IMITS IN PEL NA	A AIR (mg OSHA ppm STEL NA	n. a of	OTHER
CHEMBIS-H COPC BIS-H JIPD BIS-H COPC COPC	ICAL NAME(S)  EA IPDI/PPG-53  DLYMER  EA POLY(1,4-BUTANEDIOL COPOLYMER  EMA POLYNEOPENTYL  OL ADIPATE/IPDI  DLYMER  ETHYLOLPROPANE  ETHACRYLATE	P362+P364 — well-ventilated contents/conta <b>KEEP OUT O</b> 3. CC  CAS No. NA  NA  82339-16-0  Skin Irrit. 2; Ey 3290-92-4 Aquatic Chron	Take off co. I place. Keepainer to licens F REACH O  OMPOSI  RTECS No. NA  NA  NA  NA  NA  NA  NA  INA  INA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  NA  221-950-4	If eye irrhing and voly closed. gement fa	ENT AC PR TLV NA NA NA	INF GIH NA NA NA	ORN  ES- TWA  NF  NF	MATI EXPO: NOHSC ppm ES- STEL NF NF	P501  ON  SURE L  ES- PEAK  NF  NF	IMITS IN  PEL NA NA NA	J AIR (my OSHA PPM NA NA NA NA	n. a of	OTHER
HEM BIS-H COPC BIS-H BIS-H COPC COPC RIMI ETR	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No.  NA  NA  82339-16-0  Skin Irrit. 2; Ey  3290-92-4  Aquatic Chron  2455-24-5	Take off co. I place. Keepainer to licens FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  NA  INA  INA  INA  INA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  NA  221-950-4  219-529-5	If eye irrhing and voly closed. gement fa	ENT ACC PP TLV NA NA	Persis efore - Store -	ORN  ES-TWA  NF	MATI EXPO: NOHSC ppm ES- STEL NF NF	P501  SURE L  ES- PEAK  NF  NF	IMITS IN  PEL  NA  NA	N AIR (mg OSHA PPM STEL NA	n. a of	OTHER
HEM IS-H IS-H IS-H GLYC COPC RIMI RIMI ETR	ICAL NAME(S)  EA IPDI/PPG-53  DLYMER  EA POLY(1,4-BUTANEDIOL COPOLYMER  EMA POLYNEOPENTYL  OL ADIPATE/IPDI  DLYMER  ETHYLOLPROPANE  ETHACRYLATE	P362+P364 — well-ventilated contents/conta <b>KEEP OUT O</b> 3. CC  CAS No.  NA  NA  NA  Skin Irrit. 2; Ey 3290-92-4 Aquatic Chron 2455-24-5 Skin Irrit. 2; Ey	Take off co. I place. Keepainer to licens FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  INA  Ve Irrit. 2; H315  NA  Ve Irrit. 2; STOT	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 T RE 3; H315, H3 <sup>-</sup>	If eye irrhing and voly closed. gement fa  GREDI  % 10-30  10-30  10-30  5.0-15  9, H335	ENT ACCONTACT NA NA NA NA NA	INF  INF  GIH  NA  NA  NA  NA	ORN  ES- TWA  NF  NF  NF	Medic P403 ed up.  MATI EXPO: NOHSC ppm ES- STEL NF NF NF NF	P501  ON  SURE L  ES- PEAK  NF  NF  NF	IMITS IN  PEL NA NA NA NA	J AIR (mg OSHA ppm STEL NA NA	n. a of	OTHER
HEM IS-H IS-H IIS-H GLYC COPC RIMI RIMI ETR	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL IACRYLATE	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No.  NA  NA  82339-16-0  Skin Irrit. 2; Ey  3290-92-4  Aquatic Chron  2455-24-5	Take off co. I place. Keepainer to licens FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  NA  INA  INA  INA  INA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  NA  221-950-4  219-529-5	If eye irrhing and voly closed. gement fa	ENT AC PR TLV NA NA NA	INF GIH NA NA NA	ORN  ES- TWA  NF  NF	MATI EXPO: NOHSC ppm ES- STEL NF NF	P501  ON  SURE L  ES- PEAK  NF  NF	IMITS IN  PEL NA NA NA	J AIR (my OSHA PPM NA NA NA NA	n. a of	OTHER
HEM IS-H IS-H IIS-H GLYC COPC RIMI RIMI ETR	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No.  NA  NA  NA  Skin Irrit. 2; Ey  3290-92-4  Aquatic Chron  2455-24-5  Skin Irrit. 2; Ey  7534-94-3  Skin Irrit. 2; Ey	Take off colliplace. Keepainer to licens FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  INA  INA  INA  INA  IN	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 T RE 3; H315, H3  231-403-1 DT SE 3; H315, H3	If eye irrhing and value   If eye irrhing and value   If eye   I	ENT AC PR TLV NA NA NA NA	INF GIH NA NA NA NA	ORN  ES- TWA  NF  NF  NF  NF	Medic P403 ed up.  MATI EXPO: NOHSC ppm ES- STEL NF NF NF NF NF	P501  CON  SURE L  ES- PEAK  NF  NF  NF  NF	IMITS IN  PEL NA NA NA NA	J AIR (my OSHA PPM NA NA NA NA NA	n. a of soft set o	OTHER
BIS-HEM BIS-H BIS-H BIS-H BIS-H COPC RIMI RIMI ETR	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL IACRYLATE	P362+P364 — well-ventilated contents/conta KEEP OUT O  3. CC  CAS No.  NA  NA  82339-16-0  Skin Irrit. 2; Ey 3290-92-4  Aquatic Chron 2455-24-5  Skin Irrit. 2; Ey 7534-94-3	Take off colliplace. Keepainer to licens FREACH O  MPOSI  RTECS No. NA  NA  NA  NA  NA  INA  INA  INA  INA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 F RE 3; H315, H37  231-403-1	### If eye irrhing and vily closed.   gement fa	ENT ACCONTACT NA NA NA NA NA	INF  INF  GIH  NA  NA  NA  NA	ORN  ES- TWA  NF  NF  NF	Medic P403 ed up.  MATI EXPO: NOHSC ppm ES- STEL NF NF NF NF	P501  ON  SURE L  ES- PEAK  NF  NF  NF	IMITS IN  PEL NA NA NA NA	J AIR (mg OSHA ppm STEL NA NA	n. a of	OTHER
EHEM NIS-H VIPD SIS-H SELYC COPC TRIMI TETH SOBO	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL IACRYLATE DRNYL METHACRYLATE	P362+P364 — well-ventilated contents/contact KEEP OUT O  3. CC  CAS No. NA  NA  NA  Skin Irrit. 2; Ey 3290-92-4 Aquatic Chron 2455-24-5 Skin Irrit. 2; Ey 7534-94-3 Skin Irrit. 2; Ey 12738-64-6	Take off colliplace. Keepainer to licens  FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  NA  INA  INA  INA  INA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 T RE 3; H315, H3 231-403-1  DT SE 3; H315, H3 235-795-5	### If eye irrhing and vily closed.   gement fa	ENT AC PR TLV NA NA NA NA NA	INF GIH DIM STEL NA NA NA NA NA	ORN  ES-TWA NF NF NF NF NF	MEDIAN ME	CAL ACCOUNT OF THE PROPERTY OF	IMITS IN  PEL NA NA NA NA NA	A AIR (mg OSHA PPM NA	n. a of soft section of section o	OTHER
CHEM BIS-H BIS-H BIS-H GLYC COPC TRIMI TETH SOBO	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL IACRYLATE DRNYL METHACRYLATE ROSE BENZOATE	P362+P364 — well-ventilated contents/contact KEEP OUT O  3. CC  CAS No. NA  NA  NA  Skin Irrit. 2; Ey 3290-92-4 Aquatic Chron 2455-24-5 Skin Irrit. 2; Ey 7534-94-3 Skin Irrit. 2; Ey 12738-64-6	Take off colliplace. Keepainer to licens FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  INA  INA  INA  INA  IN	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 T RE 3; H315, H3  231-403-1 DT SE 3; H315, H3	If eye irrhing and value   If eye irrhing and value   If eye   I	ENT AC PR TLV NA NA NA NA	INF GIH NA NA NA NA	ORN  ES- TWA  NF  NF  NF  NF	Medic P403 ed up.  MATI EXPO: NOHSC ppm ES- STEL NF NF NF NF NF	P501  CON  SURE L  ES- PEAK  NF  NF  NF  NF	IMITS IN  PEL NA NA NA NA	J AIR (my OSHA PPM NA NA NA NA NA	n. a of soft set o	OTHER
EHEM BIS-H COPC FIMI ETR METH SOBG GUCF	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL IACRYLATE DRNYL METHACRYLATE ROSE BENZOATE	P362+P364 — well-ventilated contents/contact KEEP OUT O  3. CC  CAS No. NA  NA  NA  Skin Irrit. 2; Ey 3290-92-4 Aquatic Chron 2455-24-5 Skin Irrit. 2; Ey 7534-94-3 Skin Irrit. 2; Ey 12738-64-6	Take off colliplace. Keepainer to licens  FREACH O  OMPOSI  RTECS No. NA  NA  NA  NA  NA  INA  INA  INA  INA	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 T RE 3; H315, H3 231-403-1  DT SE 3; H315, H3 235-795-5	### If eye irrhing and vily closed.   gement fa	ENT AC PR TLV NA NA NA NA NA	INF GIH DIM STEL NA NA NA NA NA	ORN  ES-TWA NF NF NF NF NF	MEDIAN ME	CAL ACCOUNT OF THE PROPERTY OF	IMITS IN  PEL NA NA NA NA NA	A AIR (mg OSHA PPM NA	n. a of soft section of section o	OTHER
CHEMBIS-H COPC BIS-H MIPD BIS-H BIS-H SOBO FINITE COPC	ICAL NAME(S) EA IPDI/PPG-53 DLYMER EA POLY(1,4-BUTANEDIOL I COPOLYMER EMA POLYNEOPENTYL OL ADIPATE/IPDI DLYMER ETHYLOLPROPANE ETHYLOLPROPANE ETHACRYLATE AHYDROFURFURYL IACRYLATE DRNYL METHACRYLATE COSE BENZOATE EXXYCYCLOHEXYL PHENY NE	P362+P364 — well-ventilated contents/contact KEEP OUT O  3. CC  CAS No. NA  NA  NA  PARITH SERVICE SER	Take off co. I place. Keepainer to licens FREACH O  MPOSI  RTECS No. NA  NA  NA  NA  INA  INA  INA  INA  IN	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 F RE 3; H315, H3 231-403-1 DT SE 3; H315, H3 235-795-5  213-426-9	### If eye irrhing and veloced gement factors	ENT  AC  PF  TLV  NA  NA  NA  NA  NA	INF GIH DM STEL NA NA NA NA NA NA	ORN  ES- TWA  NF  NF  NF  NF  NF	MATI EXPO: NOHSC PPM ES- STEL NF NF NF NF NF NF NF	CAL ACC ACC ACC ACC ACC ACC ACC ACC ACC	IMITS IN  PEL NA NA NA NA NA NA	A AIR (mg OSHA PPM STEL NA NA NA NA NA NA NA	n. a of land land land land land land land land	OTHER
HEM IS-H IS-H IS-H IS-H IS-H IS-H IS-H IS-H	ICAL NAME(S)  EA IPDI/PPG-53  DLYMER  EA POLY(1,4-BUTANEDIOL I COPOLYMER  EMA POLYMER  EMA POLYNEOPENTYL  OL ADIPATE/IPDI  DLYMER  ETHYLOLPROPANE  ETHACRYLATE  AHYDROFURFURYL  IACRYLATE  DRNYL METHACRYLATE  COSE BENZOATE  COXYCYCLOHEXYL PHENY  NE  ETHYLBENZOYL	P362+P364 — well-ventilated contents/contact KEEP OUT O  3. CC  CAS No.  NA  PA  82339-16-0  Skin Irrit. 2; Ey  3290-92-4  Aquatic Chron  2455-24-5  Skin Irrit. 2; Ey  7534-94-3  Skin Irrit. 2; Ey  12738-64-6  L 947-13-3  75980-60-8  Repr. 2; H3611	Take off co. I place. Keepainer to licens FREACH O  MPOSI  RTECS No. NA  NA  NA  NA  INA  INA  INA  INA  IN	P337+P313 — ntaminated clot o container tight sed waste mana F CHILDREN.  TION & IN  EINECS No. NA  NA  NA  NA  S; H319  221-950-4  219-529-5 F RE 3; H315, H3 231-403-1 DT SE 3; H315, H3 235-795-5  213-426-9	### If eye irrhing and veloced gement factors	ENT  AC  PF  TLV  NA  NA  NA  NA  NA	INF GIH DM STEL NA NA NA NA NA NA	ORN  ES- TWA  NF  NF  NF  NF  NF	MATI EXPO: NOHSC PPM ES- STEL NF NF NF NF NF NF NF	CAL ACC ACC ACC ACC ACC ACC ACC ACC ACC	IMITS IN  PEL NA NA NA NA NA NA	A AIR (mg OSHA PPM STEL NA NA NA NA NA NA NA	n. a of land land land land land land land land	OTHER



Page 2 of 6 SDS-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017

			4. FIRST AID MEASURES	
l.1	First Aid:		If ingested, do not induce vomiting. If product has been swallowed, drink plenty of w IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water unconscious person. Contact the nearest Poison Control Center or local emergency number estimate of the time at which the material was ingested and the amount of the substar swallowed.	or milk to a Provide a ce that wa
			Splashes are not likely; however, if product gets in the eyes, flush with copious amounts water for at least 15 minutes. If irritation occurs, contact a physician.	
			If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by washing of the affected area with soap and water. If irritation, redness or swelling persist physician immediately.	
•			Remove victim to fresh air at once.	
4.2	Effects of Exposure:	Eyes:	If product is swallowed, may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, watering.	irritation an
			None expected. In some sensitive individuals, the product can cause allergic skin reactions welts, dermatitis) in rare instances.	e.g., rashes
			High concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.	
1.3	Symptoms of Overexposure:	overexposure	in eyes may cause redness, itching and watering. In some sensitive individuals, symp may include redness, itching, and irritation of affected areas. Additionally, high concentration wisiness, dizziness, headaches and nausea.	
1.4	Acute Health Effects:	Moderate irrita	ation to eyes. In some sensitive individuals moderate irritation to skin near affected areas.	
.5	Chronic Health Effects:	No harmful or	chronic health effects are expected to occur from a single accidental ingestion.	
.6	Target Organs:	Eyes, Skin, Re	espiratory System	
.7	Medical Conditions Aggravated by Exposure:		lermatitis, other skin conditions, and disorders of the HEALTH	1
	Aggravated by Exposure.	target organs	(eyes, skin, and respiratory system).	1
			PHYSICAL HAZARDS	0
			PROTECTIVE EQUIPMENT	В
			EYES SKIN	
			5 FIREFIGHTING MEASURES	
i 1	Fire & Explosion Hazards:	This product	5. FIREFIGHTING MEASURES is not flammable, but will ignite at high temperatures. When exposed to high	
5.1	Fire & Explosion Hazards:	temperatures,	<b>5. FIREFIGHTING MEASURES</b> is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, igen (e.g., NO <sub>x</sub> ) and smoke.	•
5.2	Extinguishing Methods:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam,	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, egen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical	<u> </u>
5.1 5.2 5.3		temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any fi demand) and spray to cool fire control or Firefighters m	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, agen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressurefull protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dilution from entering sewers, drains, drinking water supply, or any natural waterway. ust use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products	10
5.2	Extinguishing Methods:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any fi demand) and spray to cool fire control or Firefighters m breathing app and oxygen de	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, agen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-full protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dillution from entering sewers, drains, drinking water supply, or any natural waterway. ust use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products efficiencies.	10
5.2	Extinguishing Methods:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any fi demand) and spray to cool fire control or Firefighters m breathing app and oxygen de	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, agen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressurefull protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dilution from entering sewers, drains, drinking water supply, or any natural waterway. ust use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products	10
5.2	Extinguishing Methods:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any findemand) and spray to cool fire control or Firefighters moreathing app and oxygen defined to the second sec	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, agen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-full protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dilution from entering sewers, drains, drinking water supply, or any natural waterway. ust use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products efficiencies.  6. ACCIDENTAL RELEASE MEASURES  ng any spill or leak, individuals involved in spill cleanup must wear appropriate Person PE).	
5.2	Extinguishing Methods: Firefighting Procedures:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any fi demand) and spray to cool fire control or Firefighters m breathing app and oxygen demand oxygen demand oxygen demand for small spi equipment (e container(s) for small spi equipment (e) spi equi	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, agen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-full protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dillution from entering sewers, drains, drinking water supply, or any natural waterway. ust use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products efficiencies.  S. ACCIDENTAL RELEASE MEASURES  Ing any spill or leak, individuals involved in spill cleanup must wear appropriate Person PE).  Ils (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate person goggles, gloves). Remove spilled material with absorbent material and place into appropriate of container with plenty of warm water and soap. Remove any contaminated clothic testing the spill of container with plenty of warm water and soap. Remove any contaminated clothic	nal protective priate close h all affecte
.3	Extinguishing Methods: Firefighting Procedures:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any fidemand) and spray to cool fire control or Firefighters more and oxygen do the container (Program of the container (Pro	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, igner (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-full protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dilution from entering sewers, drains, drinking water supply, or any natural waterway. Use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products efficiencies.  6. ACCIDENTAL RELEASE MEASURES  In gallon (3.8 L) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate Person PE).  Ils (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate person or disposal. Dispose of properly in accordance with local, state and federal regulations. Was staide of container with plenty of warm water and soap. Remove any contaminated clothing fore reuse.	nal protective priate close h all affecte
5.2	Extinguishing Methods: Firefighting Procedures:  Spills:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any findemand) and spray to cool of fire control or Firefighters must breathing appand oxygen do Before cleani Equipment (P For small spin equipment (e container(s) for areas and out thoroughly be	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, igen (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical  re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-full protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dilution from entering sewers, drains, drinking water supply, or any natural waterway. ust use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products efficiencies.  6. ACCIDENTAL RELEASE MEASURES  Ing any spill or leak, individuals involved in spill cleanup must wear appropriate Person PE).  Ills (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate person goggles, gloves). Remove spilled material with absorbent material and place into appropriate of container with plenty of warm water and soap. Remove any contaminated clothing fore reuse.  HANDLING & STORAGE INFORMATION	nal protective priate close h all affecte
5.2	Extinguishing Methods: Firefighting Procedures:	temperatures, CO <sub>2</sub> ) and nitro Water, Foam, As in any findemand) and spray to cool of fire control or Firefighters must breathing app and oxygen down and oxygen down and oxygen down areas and out thoroughly be temperature.	is not flammable, but will ignite at high temperatures. When exposed to high may produce hazardous decomposition products such as oxides of carbon (e.g., CO, igner (e.g., NO <sub>x</sub> ) and smoke.  CO <sub>2</sub> , Dry Chemical re, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-full protective gear. Keep containers cool until well after the fire is out. Use water fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from dilution from entering sewers, drains, drinking water supply, or any natural waterway. Use full bunker gear including NIOSH-approved positive pressure self-contained aratus to protect against potential hazardous combustion or decomposition products efficiencies.  6. ACCIDENTAL RELEASE MEASURES  Ing any spill or leak, individuals involved in spill cleanup must wear appropriate Person PE).  Ils (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate person goggles, gloves). Remove spilled material with absorbent material and place into appropriate of container with plenty of warm water and soap. Remove any contaminated clothing for reuse.  HANDLING & STORAGE INFORMATION  Ink, or smoke while handling this product.  Et in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from the composition products are accordance with local exhaust ventilation, fans).	nal protectiv priate close h all affecte ng and was



Irritancy of Product:

Biological Exposure Indices:

Physician Recommendations:

See Section 4.3

Treat symptomatically.

NE

11.7

Page 3 of 6

SAFETY DATA SHEET **SDS-013** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017 8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH OSHA OTHER Exposure Limits: 8 1 ppm (mg/m<sup>3</sup>) CHEMICAL NAME(S) TLV STEL **ES-TWA** STEL PEAK PEL STEL IDLH Ventilation & Engineering 8.2 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure Controls: that an eyewash station, sink or washbasin is available in case of exposure to eyes or skin. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety 8.4 Eye Protection: glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged or repeated skin contact will occur while using or handling this product, wear latex or rubber gloves. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Clear to opaque liquid 9.2 Odor Mild odor 9.3 Odor Threshold: NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA Range: 9.7 Flashpoint > 100 °C (> 212 °F) Upper/Lower Flammability 9.8 NA \_imits: 9.9 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: 1.1 Solubility: 9.12 Insoluble (water) Partition Coefficient (log Pow): 9 13 NA 9 14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: 2,000 cPs (approximate) 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability This product is stable. Hazardous Decomposition 10.2 Oxides of carbon (CO, CO<sub>2</sub>) and sulfur (SO<sub>2</sub>). 10.3 Hazardous Polymerization: Will not occur. 104 Conditions to Avoid Open flames, sparks and high heat 10.5 Incompatible Substances: None known. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: YES Absorption: YES 11.1 Ingestion: NO 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of this product, but is not presented in this document 11.3 Acute Toxicity: See Section 4.4 Chronic Toxicity 11.4 See Section 4.5 11.5 Suspected Carcinogen: 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.



Page 4 of 6 SDS-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 7/6/2017 SDS Revision: 1.0 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability There are no specific data available for this product. Effects on Plants & Animals: 12.2 There are no specific data available for this product. Effects on Aquatic Life: 12.3 There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13.1 Waste disposal must be in accordance with appropriate Federal, state, and local regulations Special Considerations: 13.2 U.S. EPA Waste Number: D001 (characteristic - ignitable). 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): NOT REGULATED IMDG (OCN): 14.3 **NOT REGULATED** 14 4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): **NOT REGULATED** 14.6 SCT (MEXICO): NOT REGULATED ADGR (AUS): 14.7 **NOT REGULATED** OTHER: 14.8 NA 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. 15.2 SARA TPO There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity: NA 15.5 Other Federal Requirements This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects) State Regulatory Information: 15.7 No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: NA 16. OTHER INFORMATION 16 1 Other Information: WARNING! CAUSES SKIN IRRITATION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Avoid breathing dust/fumes/mist/vapors. Wash skin hands and exposed skin areas with soap and warm water thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection. IF ON SKIN: Wash with plenty of water and soap. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call POISON CONTROL or a doctor if you feel unwell. Specific treatment see section 4 of this SDS. If skin irritation occurs: Get medical advice/attention. If eye irritation persists get medical advice/attention. Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to licensed waste management facility. KEEP OUT OF REACH OF CHILDREN. Terms & Definitions See last page of this Safety Data Sheet



Page 5 of 6 SDS-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017

		16. OTHER INFO	DRMATION – cont'd	
16.3	Disclaimer:	government regulations must be reviewed LLC's knowledge, the information containe or completeness are not guaranteed and information contained herein relates only to	nt to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other for applicability to this product. To the best of ShipMate's & Famous Names and herein is reliable and accurate as of this date; however, accuracy, suitability no warranties of any type, either expressed or implied, are provided. The other specific product(s). If this product(s) is combined with other materials, and Data may be changed from time to time. Be sure to consult the lates	
16.4	Prepared for:	Famous Names LLC 11897 Oakland Hills Dr Las Vegas, NV 89141 USA Tel: +1 (858) 779-1513 Toll Free: +1 (877) 235-1141 www.famousnamesproducts.com	FAMOUS NAMES LLC	
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate <sup>®</sup> Dangerous Goods  Training & Consulting	



Page 6 of 6 SDS-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 7/6/2017

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number		
RTECS No.	RTECS No. Registry of Toxic Effects of Chemical Substances Number		
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number		

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



### PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Е			
F		The state of the s	





#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ <b>\ \ \ \</b>
W	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>lo</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>		<b>(2)</b>	$\Theta$	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

	<b>③</b>		$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment